BLACK UV

Version Number 1.5 Revision Date 12/17/2024



Page 1 of 17 Print Date 01/09/2025

SAFETY DATA SHEET

BLACK UV

Section 1. Identification		
GHS product identifier Chemical name CAS number Other means of identification	:	BLACK UV Mixture Mixture CC10182202
Product type	:	solid
<u>Relevant identified uses of the subs</u> Product use	stance :	or mixture and uses advised against Industrial applications.
Supplier's details	:	AVIENT CORPORATION 33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (844) 4AVIENT
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word Hazard statements	:	No signal word. No known significant effects or critical hazards.

BLACK UV

Version Number 1.5 Revision Date 12/17/2024

AVIENT

Page 2 of 17 Print Date 01/09/2025

Precautionary statements

	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10182202

CAS number/other identifiers

Ingredient name	%	CAS number
Carbon black	>= 10 - <= 25	1333-86-4
Formamide, N,N'-1,6-hexanediylbis[N-(2,2,6,6-tetramethyl-4- piperidinyl)-	>= 5 - <= 10	124172-53-8
Ethyl benzene	> 0 - <= 0.3	100-41-4
Styrene	> 0 - <= 0.3	100-42-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

:

Section 4. First aid measures

Description of necessary first aid measures

Eye contact

Immediately flush eyes with plenty of water, occasionally lifting the

BLACK UV



Varaian Number 1 F	Dogo 2 of 17
Version Number 1.5	Page 3 of 17
Revision Date 12/17/2024	Print Date 01/09/2025

Inhalation	:	upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical
Skin contact	:	surveillance for 48 hours. Flush contaminated skin with plenty of water. Remove contaminated
		clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Most important symptoms/effects,	acute a	nd delayed
Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical	attentio	n and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.
	. 4 11	`

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

BLACK UV

Version Number 1.5 Revision Date 12/17/2024

ÀVIENT

Page 4 of 17 Print Date 01/09/2025

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO ₂ . None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions Methods and materials for containme	: ant a	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containing	ent a	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

BLACK UV

Version Number 1.5 Revision Date 12/17/2024

ÀVIENT

Page 5 of 17 Print Date 01/09/2025

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Carbon black	OSHA PEL 1989 (1989-03-01) TWA 3.5 mg/m3 OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 0.1 mgPAH/m ³ ACGIH TLV (2010-12-06) TWA 3 mg/m3 Form: Inhalable fraction
Formamide, N,N'-1,6-hexanediylbis[N- (2,2,6,6-tetramethyl-4-piperidinyl)-	None.
Ethyl benzene	OSHA PEL 1989 (1989-03-01) TWA 435 mg/m3 100 ppm STEL 545 mg/m3 125 ppm OSHA PEL (1993-06-30)
l	OSHA PEL (1993-06-30) 5/17

BLACK UV

ÀVIENT

Version Number 1.5 Revision Date 12/17/2024

Page 6 of 17 Print Date 01/09/2025

	TWA 425 m (m 2, 100)
	TWA 435 mg/m3 100 ppm NIOSH REL (1994-06-01)
	TWA 435 mg/m3 100 ppm
	STEL 545 mg/m3 125 ppm
	ACGIH TLV (2010-12-06) Ototoxicant
	TWA 20 ppm
Styrene	ACGIH TLV (2020-03-01) Ototoxicant
	TWA 10 ppm
	STEL 20 ppm
	NIOSH REL (1994-06-01)
	TWA 215 mg/m3 50 ppm
	STEL 425 mg/m3 100 ppm
	OSHA PEL 1989 (1989-03-01)
	TWA 215 mg/m3 50 ppm
	STEL 425 mg/m3 100 ppm OSHA PEL Z2 (1993-06-30)
	TWA 100 ppm
	CEIL 200 ppm
	AMP 600 ppm
Appropriate engineering controls	: Good general ventilation should be sufficient to control worker
— • • • • •	exposure to airborne contaminants.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be
	checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers,
	filters or engineering modifications to the process equipment will be
	necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical
	products, before eating, smoking and using the lavatory and at the end
	of the working period. Appropriate techniques should be used to
	remove potentially contaminated clothing. Wash contaminated
	clothing before reusing. Ensure that eyewash stations and safety
Eye/face protection	showers are close to the workstation location.Safety eyewear complying with an approved standard should be used
Lychace protection	when a risk assessment indicates this is necessary to avoid exposure to
	liquid splashes, mists, gases or dusts. If contact is possible, the
	following protection should be worn, unless the assessment indicates a
	higher degree of protection: safety glasses with side-shields.

BLACK UV

Version Number 1.5 Revision Date 12/17/2024



Page 7 of 17
Print Date 01/09/2025

Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state Color Odor Odor threshold pH Melting point Boiling point Flash point		solid [Pellets.] BLACK Faint odor. Not available. Not available. Not available. Not available. Not applicable.
Burning time Burning rate Evaporation rate Flammability (solid, gas) Lower and upper explosive (flammable) limits	:	Not available. Not available. Not available. Not available. Lower: Not applicable. Upper: Not applicable.
Vapor pressure Vapor density Relative density Solubility Solubility in water	:	Not available. Not applicable. Not available. Not available. insoluble in water.
Partition coefficient: n-	:	Not applicable.

BLACK UV

Version Number 1.5 Revision Date 12/17/2024

ÀVIENT

Page 8 of 17 Print Date 01/09/2025

octanol/water Auto-ignition temperature		
Decomposition temperature SADT Viscosity	::	Not available. Not available. Dynamic: Not available. Kinematic: Not applicable.
Aerosol product		
Heat of combustion	:	Not available.
Ignition distance	:	Not available.
Enclosed space ignition - Time equivalent	:	Not available.
Enclosed space ignition - Deflagration density	:	Not available.
Flame height Flame duration	:	Not available. Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Product/ingredient name	Result	Species	Dose	Exposure
Carbon black				
	LD50 Oral	Rat	15,400 mg/kg	-

BLACK UV

Version Number 1.5 Revision Date 12/17/2024

Page 9 of 17 Print Date 01/09/2025

	LD50 Oral	Rat	3,500 mg/kg	-
	LD50 Dermal	Rabbit	5,000 mg/kg	-
Styrene				
	LD50 Oral	Rat	2,650 mg/kg	-
	LC50 Inhalation	Rat	2,770 ppm	4 h
	Gas.			
	LC50 Inhalation	Rat	11.8 Mg/l	4 h
	Vapor		_	

Conclusion/Summary

Mixture.Not fully tested.

:

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Benzene, ethyl-	Skin - Mild irritant	Rabbit	-	24 hrs	-
	Eyes - Severe irritant	Rabbit	-		-
Styrene	Eyes - Mild irritant	Human	-		-
	Skin - Mild irritant	Rabbit	-		-
	Skin - Moderate irritant	Rabbit	-		-
	Eyes - Severe irritant	Rabbit	-		-
	Eyes - Moderate irritant	Rabbit	-	24 hrs	-

Conclusion/Summary Skin Eyes Respiratory	: :	Mixture.Not fully tested. Mixture.Not fully tested. Mixture.Not fully tested.
<u>Sensitization</u> Conclusion/Summary Skin Respiratory	:	Mixture.Not fully tested. Mixture.Not fully tested.
<u>Mutagenicity</u> Conclusion/Summary	:	Mixture.Not fully tested.
<u>Carcinogenicity</u> Conclusion/Summary	:	Mixture.Not fully tested.
<u>Classification</u>		



BLACK UV

ÀVIENT

Version Number 1.5 Revision Date 12/17/2024

Page 10 of 17 Print Date 01/09/2025

Product/ingredient name	OSHA	IARC	NTP
Carbon black	-	2B	-
Benzene, ethyl-	-	2B	-
Styrene	-	2B	Reasonably anticipated to be a human carcinogen.

Reproductive toxicity

Conclusion/Summary : Mixture.Not fully tested.

Teratogenicity

Conclusion/Summary

: Mixture.Not fully tested.

Specific target organ toxicity (single exposure)

Name	Category	Route of exposure	Target organs
Formamide, N,N'-1,6-	Category 3	-	Respiratory tract irritation
hexanediylbis[N-(2,2,6,6-			
tetramethyl-4-piperidinyl)-			

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Name	Result
Benzene, ethyl-	ASPIRATION HAZARD - Category 1

Information on the likely routes of : Not available. **exposure**

Potential acute health effects

Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

10/17

BLACK UV

Version Number 1.5 Revision Date 12/17/2024

ÀVIENT

Page 11 of 17 Print Date 01/09/2025

Short term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects	:::::::::::::::::::::::::::::::::::::::	No known significant effects or critical hazards. No known significant effects or critical hazards.
<u>Numerical measures of toxicity</u> <u>Acute toxicity estimates</u> N/A		
Other information	:	This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Section 12. Ecological information

Toxicity

Result	Species	Exposure
Acute EC50 37.563 Mg/l Fresh	Daphnia - Daphnia magna	48 h
water		
Acute LC50 4.2 Mg/l Fresh	Fish - Oncorhynchus mykiss	96 h
water		
	Acute EC50 37.563 Mg/l Fresh water Acute LC50 4.2 Mg/l Fresh	Acute EC50 37.563 Mg/l Fresh water Daphnia - Daphnia magna Acute LC50 4.2 Mg/l Fresh Fish - Oncorhynchus mykiss

BLACK UV

ÀVIENT

Version Number 1.5 Revision Date 12/17/2024 Page 12 of 17 Print Date 01/09/2025

	Acute EC50 6.53 Mg/l Marine	Crustaceans - Artemia sp.	48 h	
	water			
	Acute EC50 2.93 Mg/l Fresh	Daphnia - Daphnia magna	48 h	
	water			
	Acute EC50 4.9 Mg/l Marine	Algae - Skeletonema costatum	72 h	
	water			
	Acute EC50 7.7 Mg/l Marine	Algae - Skeletonema costatum	96 h	
	water	_		
Styrene		÷	•	
<u> </u>	Acute LC50 4.02 Mg/l Fresh	Fish - Pimephales promelas	96 h	
	water	1 1		
	Acute EC50 0.0047 Mg/l Fresh	Daphnia - Daphnia magna	48 h	
	water			
	Acute LC50 52 Mg/l Marine	Crustaceans - Artemia salina	48 h	
	water			
	Acute EC50 78 Mg/l Marine	Algae - Skeletonema costatum	96 h	
	water		<i>y</i> • n	
BLACK UV				
Remarks - Acute - Aquatic	Chemicals are not readily availabl	le as they are bound within the poly	mer matrix	
invertebrates.:	Chemicals are not readily available	te us uney are bound wrann the poly	mer matrix.	
mvertebrates				
Conclusion/Summary	: Chemicals are not read polymer matrix.	lily available as they are bound with	nin the	
Persistence and degradability				
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.			
Conclusion/Summary	: Chemicals are not read polymer matrix.	dily available as they are bound wit	hin the	

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Formamide, N,N'-1,6-	0.8	-	low
hexanediylbis[N-(2,2,6,6-tetramethyl-			
4-piperidinyl)-			
Benzene, ethyl-	3.6	-	low
Styrene	0.35	13.49	low

Mobility in soil

BLACK UV

Version Number 1.5 Revision Date 12/17/2024

ÀVIENT

Page 13 of 17 Print Date 01/09/2025

Soil/water partition coefficient (KOC)	:	Not available.
Other adverse effects	:	No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	: Not regulated for transportation.
International Air ICAO/IATA	: Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	: Not classified as dangerous goods under transport regulations.

Section 15. Regulatory information

U.S. Federal regulations	:	 United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed
		13/17

BLACK UV

Version Number 1.5 Revision Date 12/17/2024

AVIENT

Page 14 of 17 Print Date 01/09/2025

United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Ethyl benzene United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed

United States - Department of commerce - Precursor chemical: Not listed

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Listed
Clean Air Act Section 602 Class I	:	Not listed
Substances		
Clean Air Act Section 602 Class II	:	Not listed
Substances		
DEA List I Chemicals (Precursor	:	Not listed
Chemicals)		
DEA List II Chemicals (Essential	:	Not listed
Chemicals)		

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:

BLACK UV

 AVIENT

Version Number 1.5 Revision Date 12/17/2024 Page 15 of 17 Print Date 01/09/2025

Composition/information on ingredients

No products were found.

Name	%	Classification
Carbon black	>= 10 - <= 25	CARCINOGENICITY - Category 2
Formamide, N,N'-1,6- hexanediylbis[N-(2,2,6,6- tetramethyl-4-piperidinyl)-	>= 5 - <= 10	SERIOUS EYE DAMAGE - Category 1 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) - Respiratory tract irritation - Category 3
Benzene, ethyl-	> 0 - <= 0.3	FLAMMABLE LIQUIDS - Category 3 EYE IRRITATION - Category 2A CARCINOGENICITY - Category 2 ASPIRATION HAZARD - Category 1
Styrene	> 0 - <= 0.3	FLAMMABLE LIQUIDS - Category 3 ACUTE TOXICITY - inhalation - Category 4 SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A CARCINOGENICITY - Category 2

<u>SARA 313</u>

Form R - Reporting requirements

Product name	CAS number	%
Ethyl benzene	100-41-4	>= 0.1 - < 1
Styrene	100-42-5	>= 0.1 - < 1

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations	
Massachusetts	: The following components are listed: Carbon black
New York	: None of the components are listed.
New Jersey	: The following components are listed: Carbon black Ethyl benzene
Pennsylvania	: The following components are listed:
	15/17

BLACK UV

Version Number 1.5 Revision Date 12/17/2024



Page 16 of 17 Print Date 01/09/2025

Carbon black

California Prop. 65

WARNING: This product can expose you to chemicals including Carbon black, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Carbon black	-	-
Ethyl benzene	Yes.	-
Styrene	Yes.	-

United States inventory (TSCA 8b)	:	All components are active or exempted.
Canada inventory	:	At least one component is not listed in DSL but all such components are listed in NDSL.
International regulations Inventory list		
Australia	:	Not determined.
Canada	:	At least one component is not listed in DSL but all such components are listed in NDSL.
China	:	All components are listed or exempted.
Eurasian Economic Union	:	Russian Federation inventory: Not determined.
Japan	:	Japan inventory (CSCL): Not determined.
		Japan inventory (ISHL): Not determined.
New Zealand	:	Not determined.
Philippines	:	All components are listed or exempted.
Republic of Korea	:	Not determined.
Taiwan	:	Not determined.Not determined.
Thailand	:	Not determined.
Turkey	:	Not determined.
United States	:	All components are active or exempted.
Viet Nam	:	Not determined.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0



BLACK UV

Version Number 1.5 Revision Date 12/17/2024

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

Date of printing	:	01/09/2025
Date of issue/Date of revision	:	12/17/2024
Date of previous issue	:	11/23/2023
Version	:	1.5
Key to abbreviations	:	ATE = Acute Toxicity Estimate
		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References		Not available.
Neiti chices	•	

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.