

Version Number 1.0 Revision Date 03/04/2025 Page 1 of 16 Print Date 03/05/2025

SAFETY DATA SHEET

SA-1193

Section 1. Identificati	on	
GHS product identifier Chemical name CAS number Other means of identification Product type	:	SA-1193 Mixture Mixture FO20051291 liquid
<u>Relevant identified uses of the sub</u> Product use	stance :	or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	GSDI Specialty Dispersions, Inc. 1675 Navarre Road SW, Massillon, Ohio USA 44646
Emergency telephone number (with hours of operation)	:	1 (440) 930-1000 or 1 (844) 4AVIENT CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	TOXIC TO REPRODUCTION - Category 2
GHS label elements		



Version Number 1.0		
Revision Date	03/04/2025	

Page 2 of 16 Print Date 03/05/2025

Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	Suspected of damaging fertility or the unborn child.
Precautionary statements		
Prevention	:	Not applicable. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing and eye or face protection.
Response	:	IF exposed or concerned: Get medical advice or attention.
Storage	:	Store locked up.
Disposal	:	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known. Not available.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	FO20051291

CAS number/other identifiers

Ingredient name	%	CAS number
Carbon black	>= 25 - <= 50	1333-86-4
Octamethylcyclotetrasiloxane	> 0 - <= 0.3	556-67-2

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.



Version Number 1.0 Revision Date 03/04/2025

Page 3 of 16 Print Date 03/05/2025

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact Inhalation Skin contact Ingestion	:	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact Inhalation	:	No specific data. Adverse symptoms may include the following: reduced fetal weight



SAFETY DATA SHEET SA-1193

Version Number 1.0	Page 4 of 16
Revision Date 03/04/2025	Print Date 03/05/2025

Skin contact Ingestion	:	increase in fetal deaths skeletal malformations Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
Indication of immediate medical at	tentic	on and special treatment needed, if necessary
Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO ₂ . None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

give mouth-to-mouth resuscitation.

Section 6. Accidental release measures



Version Number 1.0 Revision Date 03/04/2025

Page 5 of 16 Print Date 03/05/2025

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containm	ent a	nd cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non- combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency

Section 7. Handling and storage

Precautions for safe handling

Protective measures	Put on appropriate personal protective equipm Avoid exposure - obtain special instructions be exposure during pregnancy. Do not handle unt have been read and understood. Do not get in o clothing. Do not ingest. Avoid breathing vapor	efore use. Avoid il all safety precautions eyes or on skin or
---------------------	--	---

contact information and Section 13 for waste disposal.



SAFETY DATA SHEET SA-1193

Version Number 1.0	Page 6 of 16
Revision Date 03/04/2025	Print Date 03/05/2025

Advice on general occupational hygiene	:	normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in a well-ventilated place. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Carbon black	OSHA PEL 1989 (1989-03-01) TWA 3.5 mg/m3 OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 0.1 mgPAH/m ³ ACGIH TLV (2010-12-06) TWA 3 mg/m3 Form: Inhalable fraction
Octamethylcyclotetrasiloxane	OARS WEEL (2018-05-07) TWA 10 ppm



If user operations generate dust, fumes, g enclosures, local exhaust ventilation or o keep worker exposure to airborne contar recommended or statutory limits. Emissions from ventilation or work proc checked to ensure they comply with the environmental protection legislation. In s filters or engineering modifications to th necessary to reduce emissions to accepta	ther engineering controls to ninants below any ess equipment should be requirements of
enclosures, local exhaust ventilation or o keep worker exposure to airborne contar recommended or statutory limits. Emissions from ventilation or work proc checked to ensure they comply with the environmental protection legislation. In a filters or engineering modifications to th	ther engineering controls to ninants below any ess equipment should be requirements of
Emissions from ventilation or work proc checked to ensure they comply with the environmental protection legislation. In s filters or engineering modifications to the	requirements of
2 1	
Wash hands, forearms and face thorough products, before eating, smoking and usi of the working period. Appropriate techr remove potentially contaminated clothin clothing before reusing. Ensure that every showers are close to the workstation loca	ng the lavatory and at the end hiques should be used to g. Wash contaminated wash stations and safety
Safety eyewear complying with an appro- when a risk assessment indicates this is r liquid splashes, mists, gases or dusts. If of following protection should be worn, un higher degree of protection: safety glasse	necessary to avoid exposure to contact is possible, the less the assessment indicates a
Chemical-resistant, impervious gloves co standard should be worn at all times whe if a risk assessment indicates this is nece parameters specified by the glove manuf the gloves are still retaining their protect noted that the time to breakthrough for a different for different glove manufacture consisting of several substances, the prot cannot be accurately estimated	en handling chemical products ssary. Considering the acturer, check during use that ive properties. It should be ny glove material may be rs. In the case of mixtures,
Personal protective equipment for the bo on the task being performed and the risk	s involved and should be
Appropriate footwear and any additional should be selected based on the task beir involved and should be approved by a sp	skin protection measures ag performed and the risks
Based on the hazard and potential for ex meets the appropriate standard or certific used according to a respiratory protection fitting, training, and other important aspo	cation. Respirators must be n program to ensure proper
:	 products, before eating, smoking and usi of the working period. Appropriate techn remove potentially contaminated clothin clothing before reusing. Ensure that eyew showers are close to the workstation loca Safety eyewear complying with an approwhen a risk assessment indicates this is r liquid splashes, mists, gases or dusts. If a following protection should be worn, unhigher degree of protection: safety glasse Chemical-resistant, impervious gloves constandard should be worn at all times where if a risk assessment indicates this is nece parameters specified by the glove manufit the gloves are still retaining their protect noted that the time to breakthrough for a different for different glove manufacture consisting of several substances, the protic cannot be accurately estimated. Personal protective equipment for the boo on the task being performed and the risk approved by a specialist before handling Appropriate footwear and any additional should be selected based on the task beir involved and should be approved by a specialist used according to a respiratory protection.



Version Number 1.0 Revision Date 03/04/2025 Page 8 of 16 Print Date 03/05/2025

Section 9. Physical and chemical properties

Appearance

Physical state	:	liquid [Viscous liquid.]
Color	:	NO PIGMENT
Odor	:	Not available.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
	:	Upper: Not available. Not available.
(flammable) limits	:	
(flammable) limits Vapor pressure	:	Not available.
(flammable) limits Vapor pressure Vapor density	:	Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density	:	Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility	:	Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water	:	Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water	:	Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n-		Not available. Not available. Not available. Not available. Not available. Not applicable.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature		Not available. Not available. Not available. Not available. Not available. Not applicable.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature		Not available. Not available. Not available. Not available. Not available. Not applicable. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature SADT		Not available. Not available. Not available. Not available. Not available. Not applicable. Not available. Not available. Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition	:	Under normal conditions of storage and use, hazardous decomposition



Version Number 1.0 Revision Date 03/04/2025 Page 9 of 16 Print Date 03/05/2025

products

products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure	
Carbon black					
	LD50 Oral	Rat	15,400 mg/kg	-	
Cyclotetrasiloxane, 2,2,4,4,6,6,8,8-octamethyl-					
	LD50 Oral	Rat	1,540 mg/kg	-	
	LC50 Inhalation	Rat	36 Mg/l	4 h	
	Vapor				
	LD50 Dermal	Rat	1,770 mg/kg	-	

Conclusion/Summary

: Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Cyclotetrasiloxane, 2,2,4,4,6,6,8,8-octamethyl-	Eyes - Mild irritant	Rabbit	-	24 hrs	-
	Skin - Mild irritant	Rabbit	-	24 hrs	-

Conclusion/Summary Skin Eyes Respiratory <u>Sensitization</u>	Mixture.Not fully tested.Mixture.Not fully tested.Mixture.Not fully tested.
Conclusion/Summary Skin Respiratory	Mixture.Not fully tested.Mixture.Not fully tested.
<u>Mutagenicity</u> Conclusion/Summary	: Mixture.Not fully tested.
<u>Carcinogenicity</u> Conclusion/Summary	: Mixture.Not fully tested.



Version Number	1.0
Revision Date 03	3/04/2025

Page 10 of 16 Print Date 03/05/2025

Classification

Product/ingredient name	OSHA	IARC	NTP		
Carbon black	-	2B			
<u>Reproductive toxicity</u>					
Conclusion/Summary : Mixture.Not fully tested.					
Teratogenicity					
Conclusion/Summary	: N	/ixture.Not fully t	ested.		
Specific target organ toxicity (Not available.	single exposu	<u>re)</u>			
<u>Specific target organ toxicity (</u> Not available.	repeated exp	<u>osure)</u>			
<u>Aspiration hazard</u> Not available.					
Information on the likely routo exposure	es of : N	lot available.			
Potential acute health effects					
Eye contact	: N	lo known significa	nt effects or critical hazards.		
Inhalation			nt effects or critical hazards.		
Skin contact	: N	lo known significa	nt effects or critical hazards.		
Ingestion	: N	lo known significa	nt effects or critical hazards.		
Symptoms related to the physi	cal, chemical	and toxicological	characteristics		
Eye contact	: N	lo specific data.			
Inhalation	: A	dverse symptoms	may include the following: reduced fetal weight, ths, skeletal malformations		
Skin contact	: A	dverse symptoms	may include the following: reduced fetal weight, ths, skeletal malformations		
Ingestion	: A	dverse symptoms	may include the following: reduced fetal weight, ths, skeletal malformations		
Delayed and immediate effects	and also chr	onic offacts from	short and long term exposure		

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure



Version Number 1.0 Revision Date 03/04/2025

Page 11 of 16 Print Date 03/05/2025

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects <u>Potential chronic health effects</u>	:	Not available. Not available.
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects <u>Numerical measures of toxicity</u> <u>Acute toxicity estimates</u>	:	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. Not available. Not available. Suspected of damaging fertility or the unborn child.
N/A Other information	:	This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Carbon black			
	Acute EC50 37.563 Mg/l Fresh water	Daphnia - Daphnia magna	48 h
Cyclotetrasiloxane, 2,2,4,4,6,6,	8,8-octamethyl-		
	Acute LC50 0.204 - 3.483 Mg/l Fresh water	Fish - Leuciscus idus ssp. melanotus	96 h
	Chronic NOEC 0.0000044 mg/l Fresh water	Fish - Oncorhynchus mykiss	93 d
	Chronic NOEC 0.0079 Mg/l	Daphnia - Daphnia magna	21 d



Version Number 1.0 Revision Date 03/04/2025

Page 12 of 16 Print Date 03/05/2025

	Fresh wat	er	
Conclusion/Summary	:	Not available.	
Persistence and degradability			
Conclusion/Summary	:	Not available.	

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Cyclotetrasiloxane, 2,2,4,4,6,6,8,8-	6.488	13,400.00	high
octamethyl-			

<u>Mobility in soil</u>

Soil/water partition coefficient	:	Not available.	
(KOC)			

Other adverse effects

: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods The generation of waste should be avoided or minimized wherever : possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed



Version Number 1.0 Revision Date 03/04/2025 Page 13 of 16 Print Date 03/05/2025

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Consult mode specific transport rules
International Water IMO/IMDG	:	Consult mode specific transport rules

Section 15. Regulatory information

U.S. Federal regulations	 United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Listed Octamethylcyclotetrasiloxane
	United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Not listed United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed



SAFETY DATA SHEET SA-1193

Version Number	er 1.0
Revision Date	03/04/2025

Page 14 of 16 Print Date 03/05/2025

United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

Clean Air Act Section 112(b)	:	Not listed
Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I	:	Not listed
Substances Clean Air Act Section 602 Class II	:	Not listed
Substances DEA List I Chemicals (Precursor	:	Not listed
Chemicals) DEA List II Chemicals (Essential	Ì	Not listed
Chemicals)	•	not fisted

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

: TOXIC TO REPRODUCTION - Category 2

Composition/information on ingredients

Name	%	Classification
Carbon black	>= 25 - <= 50	CARCINOGENICITY - Category 2
Cyclotetrasiloxane, 2,2,4,4,6,6,8,8-octamethyl-	> 0 - <= 0.3	FLAMMABLE LIQUIDS - Category 3 ACUTE TOXICITY - oral - Category 4 ACUTE TOXICITY - dermal - Category 4 EYE IRRITATION - Category 2B TOXIC TO REPRODUCTION - Category 2

Not applicable.

. ..

a. .

State regulations			
Massachusetts		ollowing components are listed:	
	Cart	bon black	
New York	: None	of the components are listed.	
New Jersey	: The fe	following components are listed:	
	Cart	bon black	
		14/16	



Version Number 1.0 Revision Date 03/04/2025 Page 15 of 16 Print Date 03/05/2025

Pennsylvania

The following components are listed: Carbon black

California Prop. 65

WARNING: This product can expose you to Carbon black, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

:

Ingredient name	No significant risk level	Maximum acceptable dosage level
Carbon black	-	-

United States inventory (TSCA 8b)	:	All components are active or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations Inventory list		
Australia	:	All components are listed or exempted.
Canada	:	All components are listed or exempted.
China	:	All components are listed or exempted.
Eurasian Economic Union	:	Russian Federation inventory: All components are listed or exempted.
Japan	:	Japan inventory (CSCL): Not determined.
-		Japan inventory (ISHL): Not determined.
New Zealand	:	All components are listed or exempted.
Philippines	:	All components are listed or exempted.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	All components are listed or exempted.
Thailand	:	All components are listed or exempted.
Turkey	:	Not determined.
United States	:	All components are active or exempted.
Viet Nam	:	All components are listed or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	*	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4



SAFETY DATA SHEET SA-1193

Version Number 1.0	Page 16 of 16
Revision Date 03/04/2025	Print Date 03/05/2025

representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

Date of printing	:	03/05/2025
Date of issue/Date of revision	:	03/04/2025
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate
·		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.